



Coastline Chemical Inc.

SAFETY DATA SHEET

**NOVA 51
HD EXTENDED LIFE
ANTIFREEZE/COOLANT
PREMIX**

SECTION 1 L PRODUCT AND COMPANY IDENTIFICATION

Product Name: NOVA 51
Product Code: PN51
Primary Use(s): HDOAT Truck Antifreeze & Coolant

Manufactured By: Coastline Chemical Inc.
 30470 Energy Drive
 New Church, VA 23415, USA
 www.prideantifreeze.com

Telephone (General) 757.824.3831
EMERGENCY TELEPHONE CHEMTREC (800) 424-9300

SECTION 2 – HAZARD IDENTIFICATION

Physical State	Liquid, clear yellow color		
Odor	Mild, sweet odor		
Emergency Overview	This product presents no specific emergency hazard		
Signal Word(s)	WARNING		
Hazard Statements	Causes Eye Irritation	Causes Skin Irritation	Harmful/Toxic If Swallowed
Hazard Symbol			
GHS CLASSIFICATIONS	(H373) May cause kidney damage Acute Oral Toxicity 5	(H302) Harmful if swallowed Acute Dermal Toxicity 5	(H302) Harmful if swallowed Corrosion/Irritation Skin 3
	Acute Inhalation Toxicity 5	Serious Eye Damage/ Eye Irritation 2B	

SECTION 3 – COMPOSITION/ INGREDIENT INFORMATION

<u>NAME</u>	<u>CAS No</u>	<u>EU INVENTORY</u>	<u>PERCENTAGE</u>
Ethane 1,2 - diol (monoethylene glycol)	107-21-1	203-473-3	53 – 57
2-(2 hydroxyethoxy) ethan-1-ol (diethylene glycol)	111-46-6	203-872-2	1 – 3
Water & proprietary additives	7732-18-5	231-791-2	Balance

SECTION 4 – FIRST AID MEASURES

EYE CONTACT	Remove corrective lenses. Wash with cool water including under eyelid for 15 mins. See doctor if irritation persists.
SKIN CONTACT	Remove affected clothing, Wash with mild soap and water. Apply lotion for redness.
INHALATION	Remove person to fresh air.
INGESTION	Wash mouth and other contacted parts with water. Never give anything by mouth to an unconscious person. If conscious, give 1-2 glasses of water. Avoid alcohol. Contact doctor or poison control center.
PHYSICAL NOTES	N/A

SECTION 5 – FIRE FIGHTING MEASURES

Flash Point	Flash Point > 200 deg. F
Combustion	Carbon Dioxide, Ash, Water
Extinguishing Media (suitable) (not suitable)	Water, Foam, ABC Extinguisher Unknown
Special Hazards	Unknown
Special Protective Equipment	Face Shield, Gloves, Self-contained air supply

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions	Safety Glasses and Gloves.
Environmental Precautions	Collect product or waste and offer to environmental waste disposal company
Cleanup Methods	Absorb and/or collect all spilled material put in suitable container and send to suitable hazmat collection service or landfill.

SECTION 7 – HANDLING AND STORAGE

Handling	Only use suppliers approved and labelled containers
Storage	Store in clean, dry, ventilated place

SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

Preventive Measures	ONLY USE SUPPLIED COONTAINER
Engineering Controls	Provide fresh air at all times

Personal Protection (recommended)



EYES
SKIN
RESPIRATORY
HANDS

Wear safety glasses when transferring product
Wear gloves when transferring product
Normal ventilation is sufficient
Wear rubber gloves when transferring product

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Physical State	Liquid
Color	Clear Yellow
Odor	Characteristic
Odor Threshold	Unknown

Important Health , Safety, Environmental Information

pH (as supplied)	8.0 – 9.0
Boiling Point	Above 200 deg. F
Pour Point/Freezing (as supplied)	Freeze Point -51F/-46C
Flash Point	260F/127C
Oxidizing Properties	None
Vapor Pressure	0.12 mm Hg @20C
Specific Gravity	1.06 -1.07
Water Solubility	Soluble
Vapor Density (air =1)	2.1

SECTION 10 – STABILITY AND REACTIVITY

Stability and Reactivity	Stable
Incompatibility with various substances	Do not mix with strong acids
Hazardous polymerization	Will not occur
Hazardous decomposition products	When heated to decomposition, may emit toxic fumes

SECTION 11 – TOXICOLOGICAL

Potential Acute Health Effects (ingredient)	
monoethylene glycol	LD oral rat = 4000 mg/kg; LD50 dermal rat=9500 mg/kg
diethylene glycol	LD50 oral rat=12565 mg/kg; LD50 dermal rat=11890 mg/kg
Acute Oral Effects	Can cause irritation to mouth, throat, and stomach. Large volume ingestion may cause depression of central nervous system.
Potential Chronic Health Effects	
Chronic Effects:	None expected under normal use conditions
Carcinogenicity:	Neither product nor its ingredients are listed by IARC, NTD or OSHA
Mutagenicity:	Not mutagenic
Teratogenicity:	Not Teratogenic

SECTION 12 – ECOLOGICAL INFORMATION

Aquatic Toxicity	 May be toxic to aquatic organisms
------------------	---

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal Method:	Dispose of waste through hazardous waste contractor/recycler.
Container Cleaning and Disposal:	Containers should be cleaned of residual product before disposal.

SECTION 14 – TRANSPORT INFORMATION

DOT Proper Shipping Name:	Ethylene Glycol
Shipping Symbols:	Environmental Hazard
Hazard Class:	Environmental Hazard
UN Number:	Not regulated unless shipping container holds at least 10,539 pounds.
Packing Group:	Not applicable
Label:	Not applicable
Special Provisions (172.102):	Not applicable
Bulk Shipments	
DOT Proper Shipping Name:	Environmentally hazardous substance, liquid, n.o.s. (Ethylene glycol)
UN Number:	UN 3082
Label Requirement:	Class 9, UN 308

SECTION 15 – REGULATORY INFORMATION

EPA Regulations

RCRA Hazardous Waste Number and RCRA Hazardous Waste Classification:

Unused product is not classified as a hazardous waste by RCRA criteria

CERCLA Hazardous Substance and CERCLA Reportable Quantity:

Does not contain any ingredients listed as a CERCLA hazardous substance.

SARA Toxic Chemical and SARA EHS:

Contains following substance which is listed in Title III: Ethylene Glycol.
SARA 313 Information:
SARA Hazard Category: An immediate health hazard A delayed health hazard

OSHA Regulations:

State Regulations

Other:

All components listed on both TSCA (USA) and DSL (Canada) inventory.

CANADIAN WHMIS CLASSIFICATION: Class D, Division 2, Subdivision B (A toxic material causing other chronic effects)

SECTION 16 – OTHER INFORMATION

Additional Hazard Rating Systems: HMIS(USA) Health=1, Fire=1, Reactivity=0

Disclaimer: THE INFORMATION GIVEN HEREIN IS GIVEN IN GOOD FAITH AND FROM SOURCES WE BELIEVE RELIABLE. BUT NO WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS IS MADE.

The conditions or methods of handling, storage, use and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.

This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not apply.

CONSULT Company listed in Section 1. FOR FURTHER INFORMATION.

Revised 5-05-2015